Call Our Rep Today 072 98 05201

M1 Lengthened

Working Together with Maifeng Manufactor



Model size

2610*1200*1650mm

Vehicle structure

Five open doors and six seats

Braking mode

Rear disc brake

Motor

800W 18 tube controller

Tire specifications

400 vacuum tire

Steering

Handlehold

Configuration

Warm air, fan, reversing image, with front and rear bars, luggage rack, ceiling light, range extender can be installed, steel plate shock absorption, optional

With suspension shock absorption





Model size

2050*1120*1670mm

Power system

Gold magnetic dynamical system

Controller

18 tube controller

Motor

48V/60V800W

Tire specifications

350-10 tire (iron wheel)

Steering

Handlehold

Configuration

Integrated drum brake rear axle,

Cast pipe front damping,

Integrated fan sunroof, rear pedal, automatic return wiper, luxury seat, luxury interior

Decoration, national can be on the card



M5



Model size

2470*1150*1690mm

Vehicle structure

Five doors and four seats

Power system

Gold magnetic dynamical system

Motor

48V/60V800W

Tire specifications

400-10 (Vacuum Tire)

Steering

Handlehold

Configuration

-Body fan sunroof, rear pedal, reversing

Image, front protective bar, luggage rack, automatic return wiper, luxury seat, luxury interior, national license



M6



Model size

2680*1200*1570mm

Vehicle structure Five open doors and four seats

Braking mode

Rear disc brake

Motor

1000W motor double 18 tube controller

Tire specifications

400-10 vacuum aluminum tire

Steering

Disc type/ handle type

Configuration

Electric doors and windows, four-door central control, heater, fan, reversing image, front hydraulic pressure reduction

Shock, suspension,





Model size

2270*1150*1630mm

Vehicle structure Two doors and three seats

Power train charging

Gold magnetic dynamical system

Motor

48V/60V800W

Tire specifications

350-10 (iron wheel)

Steering

Handler

Configuration

Gold magnet 18-tube controller, integrated drum brake rear axle, hydraulic front shock absorption, integrated fan sunroof, automatic return wiper, luxury seat luxury interior, national license





Model size

2400*1150*1690mm

Vehicle structure Five doors and four seats

Braking mode

Rear drum brake

Motor

800W 18 tube controller

Tire specifications

400-10 (vacuum tire)

Steering

Handlehold

Configuration

Hand glass, double row four seats, suspension shock absorption, fan, integrated sunroof, injection molding door

Board, reversing image





Model size

2400*1150*1690mm

Vehicle structure

Five doors and four seats

Braking mode

Rear drum brake

Motor

800W 18 tube controller

Tire specifications

400-10 (vacuum tire)

Steering

Handlehold

Configuration

Hand glass, Double row four, Suspension minus

Shock, fan, integrated skylight, injection molding door

Board, reversing image



M10



Model size

2720*1390*1650mm

Vehicle structure Four doors and five seats

Braking mode

Front and rear disc brakes

Motor

1000W double 18 tube controller

Tire specifications 450-10.

Rear 145/70R-12 vacuum aluminum wheel disc type/ handle type

Steering

Configuration

Heating, video, anti-theft, electric doors and windows, central control, five doors/six doors optional

Suspension shock absorption





Model size

2270*1150*1630mm

Vehicle structure

Two doors and three seats

Power train charging

Gold magnetic dynamical system

Motor

48V/60V800W

Tire specifications

350-10 (iron wheel)

Steering

Handler

Configuration

Gold magnet 18-tube controller, integrated drum brake rear axle, cast tube front shock absorption, integrated fan sunroof, automatic return wiper, luxury seat luxury interior, national license





Model size

2400*1150*1690mm

Vehicle structure

Five doors and four seats

Braking mode

Rear drum brake

Motor

800W 18 tube controller

Tire specifications

400-10 (vacuum tire)

Steering

Handlehold

Configuratio n Hand-cranked glass, double-row four-seater, steel shock absorber, front bumper, fan, integrated sunroof, injection-molded door panel, reversing image, dome light, optional suspension shock absorber

E HAWK FP



Frame plastic



Model size

2400*1100*1600mm

Controller

Dual 18 tube controller

Braking mode

Three-wheel disc brake

Motor

1000W

Tire specifications

Front 130-70-12 Rear 135-70R12

Steering

Handlehold

Configuration

Warm air, video, anti-theft, electric doors and windows, one-button start, controllable headlights,

Seat belt

E HAWK SPECIAL EDITION EH4W





Model size

2700*1250*1650mm

Vehicle structure

Two doors, two seats

Braking mode

Front and rear disc brakes

Motor

1000W18 tube controller

Tire specifications

400 vacuum tire

Steering

Handled/disc type

Configuration

Warm air, fan, reversing image, ceiling light

Gear shift